

FOR THE TREATMENT OF HUNTINGTON'S DISEASE (HD) CHOREA IN ADULTS



INGREZZA TAKES HD CHOREA CONTROL
A STEP FORWARD, SO

**HD CHOREA WON'T
CONTROL ME**

Find out today how
INGREZZA® (valbenazine)
capsules could be the
**optimal approach to
treating Huntington's
disease (HD) chorea**
for you



Actor portrayals



Important Information

Approved Uses

INGREZZA® (valbenazine) capsules or INGREZZA® SPRINKLE (valbenazine) capsules are prescription medicines used to treat adults with:

- movements in the face, tongue, or other body parts that cannot be controlled (tardive dyskinesia).
- involuntary movements (chorea) of Huntington's disease. INGREZZA or INGREZZA SPRINKLE do not cure the cause of involuntary movements, and do not treat other symptoms of Huntington's disease, such as problems with thinking or emotions.

It is not known if INGREZZA or INGREZZA SPRINKLE is safe and effective in children.

IMPORTANT SAFETY INFORMATION

INGREZZA or INGREZZA SPRINKLE can cause serious side effects in people with Huntington's disease, including: depression, suicidal thoughts, or suicidal actions.

Tell your healthcare provider before you start taking INGREZZA or INGREZZA SPRINKLE if you have Huntington's disease and are depressed (have untreated depression or depression that is not well controlled by medicine) or have suicidal thoughts. Pay close attention to any changes, especially sudden changes, in mood, behaviors, thoughts, or feelings. This is especially important when INGREZZA or INGREZZA SPRINKLE is started and when the dose is changed. Call your healthcare provider right away if you become depressed, have unusual changes in mood or behavior, or have thoughts of hurting yourself.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).

HD AND UNCONTROLLABLE BODY MOVEMENTS

Huntington's disease (HD) is a hereditary disorder that causes nerve cells in the brain to gradually break down.

Over time, this damage causes symptoms that can disrupt everyday life physically, mentally, and emotionally.



CHOREA (UNCONTROLLABLE MOVEMENTS) IS THE DEFINING SYMPTOM OF HD, AND CAN BE ONE OF THE MOST IMPACTFUL*

*In an HDSA survey, HD patients and caregivers were asked to identify HD symptoms that had the biggest impact on daily life. Of 2591 respondents, 30% of caregivers and 17% of HD patients reported chorea as the most impactful.

STAGES OF HD CHOREA

- **EARLY** A gradual increase in uncontrollable movements may impact daily function
- **MIDDLE** Chorea may become worse, leading to increased difficulty with muscle control
- **LATE** Chorea may become severe or stabilize; people may also experience muscle stiffness and the inability to walk or speak

SELECT IMPORTANT SAFETY INFORMATION

Do not take INGREZZA or INGREZZA SPRINKLE if you:

- are allergic to valbenazine, or any of the ingredients in INGREZZA or INGREZZA SPRINKLE.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).



HD chorea is progressive and some of the areas it affects can include:



Finger and hand coordination: loss of muscle control can lead to problems with manual dexterity



Walking: balance issues can lead to falls



Mouth movements: uncontrollable movements can cause difficulty with talking and chewing



Swallowing: swallowing difficulties may lead to choking



If you notice these symptoms in yourself or a loved one, you should **start a conversation with your healthcare provider—even if the symptoms are mild.**

SELECT IMPORTANT SAFETY INFORMATION

INGREZZA or INGREZZA SPRINKLE can cause serious side effects, including:

- **Allergic reactions.** Allergic reactions, including an allergic reaction that causes sudden swelling called angioedema, can happen after taking the first dose or after many doses of INGREZZA or INGREZZA SPRINKLE. Signs and symptoms of allergic reactions and angioedema include: trouble breathing or shortness of breath, swelling of your face, lips, eyelids, tongue, or throat, or other areas of your skin, trouble with swallowing, or rash, including raised, itchy red areas on your skin (hives). Swelling in the throat can be life-threatening and can lead to death. Stop taking INGREZZA or INGREZZA SPRINKLE and go to the nearest emergency room right away if you develop these signs and symptoms of allergic reactions and angioedema.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).



WHAT'S THE IMPACT OF CHOREA ON PEOPLE WITH HD AND THEIR FAMILIES?

Over time, HD chorea may worsen, which could make daily life more difficult for those living with HD and their caregivers.

HD CHOREA CAN MAKE DAILY ACTIVITIES MORE CHALLENGING, SUCH AS:



Bathing



Eating or swallowing



Dressing



Speaking

SELECT IMPORTANT SAFETY INFORMATION

INGREZZA or INGREZZA SPRINKLE can cause serious side effects, including:

- **Sleepiness and tiredness that could cause slow reaction times (somnolence and sedation).** Do not drive a car or operate dangerous machinery until you know how INGREZZA or INGREZZA SPRINKLE affects you. Drinking alcohol and taking other medicines may also cause sleepiness during treatment with INGREZZA or INGREZZA SPRINKLE.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).





THERE IS NOT YET A CURE OR TREATMENT TO DELAY HD PROGRESSION, BUT **THERE ARE MEDICATIONS THAT CAN HELP CONTROL HD CHOREA**



Don't wait until your or your loved one's movements have started affecting daily living to **begin a conversation with your healthcare provider about appropriately managing HD chorea.**

SELECT IMPORTANT SAFETY INFORMATION

INGREZZA or INGREZZA SPRINKLE can cause serious side effects, including:

- **Heart rhythm problems (QT prolongation).** INGREZZA or INGREZZA SPRINKLE may cause a heart rhythm problem known as QT prolongation. You have a higher chance of getting QT prolongation if you also take certain other medicines during treatment with INGREZZA or INGREZZA SPRINKLE. Tell your healthcare provider right away if you develop any signs or symptoms of QT prolongation, including: fast, slow, or irregular heartbeat (heart palpitations), shortness of breath, dizziness or lightheadedness, or fainting or feeling like you are going to faint.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).



ASK YOUR HEALTHCARE PROVIDER ABOUT INGREZZA, FDA APPROVED FOR HD CHOREA



The only treatment proven to reduce HD chorea that's available in a sprinkle formulation for those with trouble swallowing, and always one capsule, once daily.

FDA approved for over 8 years with more than 1 million prescriptions filled across indications.*

*Approved for tardive dyskinesia (TD) in 2017 and approved for Huntington's disease (HD) chorea in 2023.

INGREZZA® (valbenazine) capsules was studied in a clinical trial as a treatment for HD chorea:

128 PEOPLE ENROLLED

64 PEOPLE

randomly selected
to take INGREZZA

64 PEOPLE

randomly selected
to take a placebo

SELECT IMPORTANT SAFETY INFORMATION

INGREZZA or INGREZZA SPRINKLE can cause serious side effects, including:

- **Neuroleptic Malignant Syndrome (NMS).** NMS is a serious condition that can lead to death. Call a healthcare provider right away or go to the nearest emergency room if you develop these symptoms and they do not have another obvious cause: high fever, stiff muscles, problems thinking, irregular pulse or blood pressure, increased sweating, or very fast or uneven heartbeat.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).



WHAT WAS STUDIED

Participants started taking INGREZZA 40 mg for the first 2 weeks of the study. For those who could tolerate it, dosage was increased at weeks 2, 4, and 6 until the maximum dose of 80 mg per day was reached.

The goal of the study was to see if people taking INGREZZA experienced improvements in their HD chorea as measured by changes in TMC score.



WHAT IS TMC?

TMC, or Total Maximal Chorea score, measures the severity of HD chorea in several areas of the body.



Approximately **120 people** who completed the study were then **enrolled in a 3-year extension** to evaluate the long-term safety and effectiveness of INGREZZA in the treatment of HD chorea.



PEOPLE TAKING INGREZZA CAN STAY ON MOST OF THEIR STABLE MENTAL HEALTH MEDICATIONS

SELECT IMPORTANT SAFETY INFORMATION

INGREZZA or INGREZZA SPRINKLE can cause serious side effects, including:

- **Parkinson-like symptoms.** Symptoms include: body stiffness, drooling, trouble moving or walking, trouble keeping your balance, shaking (tremors), or falls.

Before taking INGREZZA or INGREZZA SPRINKLE, tell your healthcare provider about all of your medical conditions including if you: have liver or heart problems, are pregnant or plan to become pregnant, or are breastfeeding or plan to breastfeed.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).



SIGNIFICANT IMPROVEMENT AND STARTS WORKING QUICKLY



>3X

**HD CHOREA
REDUCTION**

**AT 12 WEEKS
VS PLACEBO***

RESPONSE WAS SEEN BY MOST AS EARLY AS 2 WEEKS†

*4.6-point improvement for people taking INGREZZA (≤80 mg; n=64) vs 1.4 with placebo (n=61) in TMC score from the start to the end of the 12-week study.

†In a post-clinical study evaluation, 51 of 64 patients (80%) taking INGREZZA 40 mg had at least a 1-point reduction in TMC score at 2 weeks vs before treatment.

SELECT IMPORTANT SAFETY INFORMATION

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Make sure you tell all of your healthcare providers that you are taking INGREZZA or INGREZZA SPRINKLE. Taking INGREZZA or INGREZZA SPRINKLE with certain other medicines may cause serious side effects. Especially tell your healthcare provider if you: take digoxin or take or have taken a monoamine oxidase inhibitor (MAOI) medicine. You should not take INGREZZA or INGREZZA SPRINKLE if you are taking, or have stopped taking, a MAOI within the last 14 days.

The most common side effects of INGREZZA or INGREZZA SPRINKLE in people with tardive dyskinesia are sleepiness and tiredness.

The most common side effects of INGREZZA or INGREZZA SPRINKLE in people with chorea associated with Huntington's disease include sleepiness and tiredness, raised itchy red areas on your skin (hives), rash, and trouble getting to sleep or staying asleep.

These are not all of the possible side effects of INGREZZA or INGREZZA SPRINKLE. Call your doctor for medical advice about side effects. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit MedWatch at www.fda.gov/medwatch or call **1-800-FDA-1088**.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).

 **ONCE-DAILY
INGREZZA®**
(valbenazine) capsules

BOTH PATIENTS AND PROVIDERS REPORTED IMPROVEMENT WITH INGREZZA

53% OF PEOPLE

reported their overall HD chorea as “very much improved” or “much improved” with INGREZZA® (valbenazine) capsules at 12 weeks.*

VERY MUCH IMPROVED
OR MUCH IMPROVED

53%

VS PLACEBO* 26%

43% OF HEALTHCARE PROFESSIONALS

reported HD chorea as “very much improved” or “much improved” with INGREZZA at 12 weeks.†

VERY MUCH IMPROVED
OR MUCH IMPROVED

43%

13%

VS PLACEBO†

*53% of patients (29/55) taking INGREZZA vs 26% of those taking placebo (14/53), based on patient-reported chorea severity scale (PGI-C scale) at 12 weeks vs before treatment.

†43% of patients (24/56) taking INGREZZA vs 13% of those taking placebo (7/53), based on clinician-reported chorea severity (CGI-C scale) at 12 weeks vs before treatment.

SELECT IMPORTANT SAFETY INFORMATION

Dosage Forms and Strengths: INGREZZA and INGREZZA SPRINKLE are available in 40 mg, 60 mg, and 80 mg capsules.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).

ONCE-DAILY
INGREZZA®
(valbenazine) capsules

INGREZZA SAFETY PROFILE

In the clinical study, INGREZZA® (valbenazine) capsules was shown to be generally well tolerated.

INGREZZA or INGREZZA SPRINKLE can cause serious side effects in people with Huntington's disease, including: depression, suicidal thoughts, or suicidal actions. Tell your healthcare provider before you start taking INGREZZA or INGREZZA SPRINKLE if you have Huntington's disease and are depressed (have untreated depression or depression that is not well controlled by medicine) or have suicidal thoughts. Pay close attention to any changes, especially sudden changes, in mood, behaviors, thoughts, or feelings. This is especially important when INGREZZA or INGREZZA SPRINKLE is started and when the dose is changed. Call your healthcare provider right away if you become depressed, have unusual changes in mood or behavior, or have thoughts of hurting yourself.

INGREZZA or INGREZZA SPRINKLE can cause serious side effects, including:

- **Allergic reactions**, including an allergic reaction that causes sudden swelling (angioedema)
- **Sleepiness and tiredness that could cause slow reaction times (somnolence and sedation)**
- **Heart rhythm problems (QT prolongation)**
- **Neuroleptic Malignant Syndrome (NMS)**
- **Parkinson-like symptoms** including body stiffness, drooling, trouble moving or walking, trouble keeping your balance, shaking (tremors), or falls

The most common side effects of INGREZZA or INGREZZA SPRINKLE in people with chorea associated with Huntington's disease include sleepiness and tiredness, raised itchy red areas on your skin (hives), rash, and trouble getting to sleep or staying asleep.

These are not all of the possible side effects of INGREZZA or INGREZZA SPRINKLE. Call your doctor for medical advice about side effects. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit MedWatch at www.fda.gov/medwatch or call **1-800-FDA-1088**.

People with Huntington's disease have a higher risk of depression and suicidal thoughts or actions. INGREZZA is a VMAT2 inhibitor. VMAT2 inhibitors are a group of medicines that all include the warning that they could increase this risk.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).

 ONCE-DAILY
INGREZZA[®]
(valbenazine) capsules



Actor portrayals

87% OF PEOPLE
COMPLETED
THE STUDY

Nearly all people (111/128) taking INGREZZA completed the full 12-week clinical study, with 82% (45/55) able to tolerate the highest dose.

SELECT IMPORTANT SAFETY INFORMATION

INGREZZA or INGREZZA SPRINKLE can cause serious side effects, including:

- **Allergic reactions.** Allergic reactions, including an allergic reaction that causes sudden swelling called angioedema, can happen after taking the first dose or after many doses of INGREZZA or INGREZZA SPRINKLE. Signs and symptoms of allergic reactions and angioedema include: trouble breathing or shortness of breath, swelling of your face, lips, eyelids, tongue, or throat, or other areas of your skin, trouble with swallowing, or rash, including raised, itchy red areas on your skin (hives). Swelling in the throat can be life-threatening and can lead to death. Stop taking INGREZZA or INGREZZA SPRINKLE and go to the nearest emergency room right away if you develop these signs and symptoms of allergic reactions and angioedema.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).

ONCE-DAILY
INGREZZA®
(valbenazine) capsules

ONLY INGREZZA OFFERS SIMPLE DOSING

Remembering when and how to take medication can be challenging for anyone, but even more so if you're living with HD.

INGREZZA MAKES DOSING SIMPLE FROM THE START:



**Starts at an
effective dose**



**Also available in
sprinkle formulation**



**Always one capsule,
once daily**



**Taken any
time**



**With or
without food**



**Can be added to
most stable mental
health regimens**

SELECT IMPORTANT SAFETY INFORMATION

INGREZZA or INGREZZA SPRINKLE can cause serious side effects, including:

- **Sleepiness and tiredness that could cause slow reaction times (somnolence and sedation).** Do not drive a car or operate dangerous machinery until you know how INGREZZA or INGREZZA SPRINKLE affects you. Drinking alcohol and taking other medicines may also cause sleepiness during treatment with INGREZZA or INGREZZA SPRINKLE.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).






INGREZZA® (valbenazine) capsules or INGREZZA® SPRINKLE (valbenazine) capsules is the only HD chorea treatment with **3 effective strengths** for simple dosing with **no complex dose adjustments**.

Finding the right dosage of INGREZZA for you

Your healthcare provider will start you on 40 mg for 2 weeks and may increase your dosage every 2 weeks to 60 mg or 80 mg, depending on your treatment needs. The recommended dose of INGREZZA is 80 mg.



Not actual size

SELECT IMPORTANT SAFETY INFORMATION

INGREZZA or INGREZZA SPRINKLE can cause serious side effects, including:

- **Heart rhythm problems (QT prolongation).** INGREZZA or INGREZZA SPRINKLE may cause a heart rhythm problem known as QT prolongation. You have a higher chance of getting QT prolongation if you also take certain other medicines during treatment with INGREZZA or INGREZZA SPRINKLE. Tell your healthcare provider right away if you develop any signs or symptoms of QT prolongation, including: fast, slow, or irregular heartbeat (heart palpitations), shortness of breath, dizziness or lightheadedness, or fainting or feeling like you are going to faint.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).



WHAT MAKES INGREZZA DIFFERENT?

Unlike other medications approved to treat HD chorea, INGREZZA® (valbenazine) capsules selectively and specifically targets a protein called VMAT2.* VMAT2 aids in the release of dopamine.

*Based on laboratory tests. This does not imply a treatment advantage.

Current research suggests that INGREZZA reduces abnormal dopamine signaling that causes HD chorea. However, how INGREZZA works to treat HD chorea is not fully understood.



QUESTIONS ABOUT INGREZZA?

Visit [INGREZZA.com](https://www.ingrezza.com) today

SELECT IMPORTANT SAFETY INFORMATION


INGREZZA or INGREZZA SPRINKLE can cause serious side effects, including:

- **Neuroleptic Malignant Syndrome (NMS).** NMS is a serious condition that can lead to death. Call a healthcare provider right away or go to the nearest emergency room if you develop these symptoms and they do not have another obvious cause: high fever, stiff muscles, problems thinking, irregular pulse or blood pressure, increased sweating, or very fast or uneven heartbeat.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).



HOW INGREZZA WORKS



Dopamine is a **chemical** in the brain that helps control movement.



HD chorea may be caused by **too much** dopamine signaling in the brain.



INGREZZA selectively and **specifically** targets **VMAT2**,* a protein that aids in the release of dopamine...



...which is believed to **reduce this abnormal dopamine signaling**.

*Based on laboratory tests. This does not imply a treatment advantage.

SELECT IMPORTANT SAFETY INFORMATION

INGREZZA or INGREZZA SPRINKLE can cause serious side effects, including:

- **Parkinson-like symptoms.** Symptoms include: body stiffness, drooling, trouble moving or walking, trouble keeping your balance, shaking (tremors), or falls.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).



NEUROCRINE ACCESS SUPPORT

Dedicated to helping you on your treatment journey through a range of financial assistance programs.



INGREZZA SAVINGS PROGRAM

Commercially insured patients may pay as little as \$0.* If you're eligible, a Savings Card may be applied automatically at the pharmacy, which may help you save on your INGREZZA® (valbenazine) capsules prescription.*

INGREZZA 30-DAY FREE TRIAL

The INGREZZA 30-Day Free Trial is a free trial (1-month supply) of INGREZZA for new patients.* Your healthcare provider can enroll you in the INGREZZA 30-Day Free Trial by downloading the enrollment form from the Neurocrine Access Support website and submitting the completed form on your behalf.

INGREZZA PATIENT ASSISTANCE PROGRAM

The Patient Assistance Program provides INGREZZA at no cost if you are uninsured, are without prescription coverage, or have qualifying financial needs.* Your healthcare provider can help you apply for this program or call 1-84-INGREZZA to learn more.

*Additional terms and conditions apply.

Once coverage has been authorized, INGREZZA will be shipped directly to you. INGREZZA is available through a dedicated network of specialty pharmacies to deliver additional service and support. A specialty pharmacy provides medicines that aren't typically available at your local retail pharmacy.

SELECT IMPORTANT SAFETY INFORMATION

Before taking INGREZZA or INGREZZA SPRINKLE, tell your healthcare provider about all of your medical conditions including if you: have liver or heart problems, are pregnant or plan to become pregnant, or are breastfeeding or plan to breastfeed.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).





Actor portrayals



TO LEARN MORE ABOUT THE NEUROCRINE ACCESS SUPPORT PROGRAM, CALL **1-84-INGREZZA (1-844-647-3992)** 8 AM TO 8 PM ET, MONDAY THROUGH FRIDAY, OR VISIT [**INGREZZA.COM/SAVINGS**](https://www.ingrezza.com/savings)

SELECT IMPORTANT SAFETY INFORMATION

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Make sure you tell all of your healthcare providers that you are taking INGREZZA or INGREZZA SPRINKLE. Taking INGREZZA or INGREZZA SPRINKLE with certain other medicines may cause serious side effects. Especially tell your healthcare provider if you: take digoxin or take or have taken a monoamine oxidase inhibitor (MAOI) medicine. You should not take INGREZZA or INGREZZA SPRINKLE if you are taking, or have stopped taking, a MAOI within the last 14 days.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).



IMPORTANT SAFETY INFORMATION

Important Information

Approved Uses

INGREZZA® (valbenazine) capsules or INGREZZA® SPRINKLE (valbenazine) capsules are prescription medicines used to treat adults with:

- movements in the face, tongue, or other body parts that cannot be controlled (tardive dyskinesia).
- involuntary movements (chorea) of Huntington's disease. INGREZZA or INGREZZA SPRINKLE do not cure the cause of involuntary movements, and do not treat other symptoms of Huntington's disease, such as problems with thinking or emotions.

It is not known if INGREZZA or INGREZZA SPRINKLE is safe and effective in children.

IMPORTANT SAFETY INFORMATION

INGREZZA or INGREZZA SPRINKLE can cause serious side effects in people with Huntington's disease, including: depression, suicidal thoughts, or suicidal actions. Tell your healthcare provider before you start taking INGREZZA or INGREZZA SPRINKLE if you have Huntington's disease and are depressed (have untreated depression or depression that is not well controlled by medicine) or have suicidal thoughts. Pay close attention to any changes, especially sudden changes, in mood, behaviors, thoughts, or feelings. This is especially important when INGREZZA or INGREZZA SPRINKLE is started and when the dose is changed. Call your healthcare provider right away if you become depressed, have unusual changes in mood or behavior, or have thoughts of hurting yourself.

Do not take INGREZZA or INGREZZA SPRINKLE if you:

- are allergic to valbenazine, or any of the ingredients in INGREZZA or INGREZZA SPRINKLE.

INGREZZA or INGREZZA SPRINKLE can cause serious side effects, including:

- **Allergic reactions.** Allergic reactions, including an allergic reaction that causes sudden swelling called angioedema, can happen after taking the first dose or after many doses of INGREZZA or INGREZZA SPRINKLE. Signs and symptoms of allergic reactions and angioedema include: trouble breathing or shortness of breath, swelling of your face, lips, eyelids, tongue, or throat, or other areas of your skin, trouble with swallowing, or rash, including raised, itchy red areas on your skin (hives). Swelling in the throat can be life-threatening and can lead to death. Stop taking INGREZZA or INGREZZA SPRINKLE and go to the nearest emergency room right away if you develop these signs and symptoms of allergic reactions and angioedema.

- **Sleepiness and tiredness that could cause slow reaction times (somnolence and sedation).** Do not drive a car or operate dangerous machinery until you know how INGREZZA or INGREZZA SPRINKLE affects you. Drinking alcohol and taking other medicines may also cause sleepiness during treatment with INGREZZA or INGREZZA SPRINKLE.
- **Heart rhythm problems (QT prolongation).** INGREZZA or INGREZZA SPRINKLE may cause a heart rhythm problem known as QT prolongation. You have a higher chance of getting QT prolongation if you also take certain other medicines during treatment with INGREZZA or INGREZZA SPRINKLE. Tell your healthcare provider right away if you develop any signs or symptoms of QT prolongation, including: fast, slow, or irregular heartbeat (heart palpitations), shortness of breath, dizziness or lightheadedness, or fainting or feeling like you are going to faint.
- **Neuroleptic Malignant Syndrome (NMS).** NMS is a serious condition that can lead to death. Call a healthcare provider right away or go to the nearest emergency room if you develop these symptoms and they do not have another obvious cause: high fever, stiff muscles, problems thinking, irregular pulse or blood pressure, increased sweating, or very fast or uneven heartbeat.
- **Parkinson-like symptoms.** Symptoms include: body stiffness, drooling, trouble moving or walking, trouble keeping your balance, shaking (tremors), or falls.

Before taking INGREZZA or INGREZZA SPRINKLE, tell your healthcare provider about all of your medical conditions including if you: have liver or heart problems, are pregnant or plan to become pregnant, or are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Make sure you tell all of your healthcare providers that you are taking INGREZZA or INGREZZA SPRINKLE. Taking INGREZZA or INGREZZA SPRINKLE with certain other medicines may cause serious side effects. Especially tell your healthcare provider if you: take digoxin or take or have taken a monoamine oxidase inhibitor (MAOI) medicine. You should not take INGREZZA or INGREZZA SPRINKLE if you are taking, or have stopped taking, a MAOI within the last 14 days.

The most common side effects of INGREZZA or INGREZZA SPRINKLE in people with tardive dyskinesia are sleepiness and tiredness.

The most common side effects of INGREZZA or INGREZZA SPRINKLE in people with chorea associated with Huntington's disease include sleepiness and tiredness, raised itchy red areas on your skin (hives), rash, and trouble getting to sleep or staying asleep.

These are not all of the possible side effects of INGREZZA or INGREZZA SPRINKLE. Call your doctor for medical advice about side effects. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit MedWatch at www.fda.gov/medwatch or call **1-800-FDA-1088**.

Dosage Forms and Strengths: INGREZZA and INGREZZA SPRINKLE are available in 40 mg, 60 mg, and 80 mg capsules.

Please see accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).



TAKE HD CHOREA CONTROL A STEP FORWARD TODAY **WITH INGREZZA:**

MORE THAN 3X GREATER HD CHOREA IMPROVEMENT VS PLACEBO AT 12 WEEKS*
AND MOST SAW A RESPONSE AS EARLY AS 2 WEEKS†

*4.6-point improvement for people taking INGREZZA (≤ 80 mg; n=64) vs 1.4 with placebo (n=61) in TMC score from the start to the end of the 12-week study.

†In a post-clinical study evaluation, 51 of 64 patients (80%) taking INGREZZA 40 mg had at least a 1-point reduction in TMC score at 2 weeks vs before treatment.



When choosing treatment, start with INGREZZA® (valbenazine) capsules—an HD chorea treatment that offers simple dosing options throughout your treatment journey. Only INGREZZA is **available in a sprinkle formulation** for those with trouble swallowing and is **always one capsule, once daily**.

ASK YOUR HEALTHCARE PROVIDER

if INGREZZA could be the optimal approach to treating HD chorea for you or your loved one
Visit [INGREZZA.com](https://www.ingrezza.com) today

IMPORTANT SAFETY INFORMATION

INGREZZA or INGREZZA SPRINKLE can cause serious side effects in people with Huntington's disease, including: depression, suicidal thoughts, or suicidal actions. Tell your healthcare provider before you start taking INGREZZA or INGREZZA SPRINKLE if you have Huntington's disease and are depressed (have untreated depression or depression that is not well controlled by medicine) or have suicidal thoughts. Pay close attention to any changes, especially sudden changes, in mood, behaviors, thoughts, or feelings. This is especially important when INGREZZA or INGREZZA SPRINKLE is started and when the dose is changed. Call your healthcare provider right away if you become depressed, have unusual changes in mood or behavior, or have thoughts of hurting yourself.

Please see additional Important Safety Information on pages 18–19 and accompanying full [Prescribing Information](#), including Boxed Warning, and [Medication Guide](#).